

CONTENTS

CHAPTER 1 – *Formulas and*

<i>Design Data</i>	1-1
Heat Transfer.....	1-1
Heating and Cooling Capacity.....	1-1
Total Heat Capacity.....	1-2
Cooling and Heating.....	1-2
R-Values/U-Values.....	1-3
Obtaining CFM from Capacity.....	1-3
CFM of an Electric Furnace.....	1-3
Change in Temperature.....	1-3
Obtaining RPM of Existing Blower.....	1-3
Change in Pulley, New Belt Length.....	1-4
Pulley Laws.....	1-4
Compression Ratio.....	1-4
Condenser Tonnage.....	1-5
Chiller Tonnage.....	1-5
Water System.....	1-5
Cooling Towers and Heat Exchangers.....	1-6
Pump Net Positive Suction Head (NPSH).....	1-6
Pump Laws.....	1-7
Refrigeration Formulas.....	1-9
Air Flow.....	1-12
Air Change Rate.....	1-12
Air Balance Equations.....	1-12
Fan Laws.....	1-13
Mixed Air Temperature.....	1-15
Air Conditioning Condensate.....	1-15
Moisture Condensation On Glass.....	1-16
Humidifier Sensible Heat Gain.....	1-16

Humidification	1-17
Expansion Tanks	1-18
Efficiencies	1-20
Ductwork HVAC Conversions	1-21
Fan and Pump Duty HVAC Conversions.	1-22
Office Design Criteria	1-23
General Design Values	1-24
Equipment Heat Gain	1-28
Heat Gain from Motor-Driven Equipment	1-30
Heat Removed in Cooling Air To Storage Room Conditions (Btu Per cu. ft.)	1-31
Cooling Load Peak Periods	1-32
Cooling Load Factors	1-33
Heating Infiltration.	1-33
Moisture Condensation on Glass Windows	1-34
Humidity and Health.	1-39
Residential Heat Load Design Data—Summer Heat Gains . . .	1-40
Residential Heat Load Design Data—Winter Heat Losses . . .	1-42
Heating Conversions	1-44
Specific Heats of Substances	1-45
R-Values	1-46
Sizing R-Values for Installation.	1-47
Effect of Insulation Compression On R-Values	1-48
ARI and ASHRAE Standards	1-48
Types of Copper Tubing	1-50
Maximum Spacing Between Supports for Copper Tubing	1-51
Equivalent Length in Feet of Straight Pipe for Copper Pipe Fittings	1-51
Recommended Liquid Line Sizes for R-22	1-52
Recommended Suction Line Sizes for R-22 at 40 Degrees Evaporating.	1-52
Calculating Thermal Expansion of Copper Pipe	1-53

Linear Expansion of Copper Pipe	1-53
Useful HVAC Values and Multipliers	1-54
Useful HVAC Conversion Measures	1-55
Metric Liquid Volume Equivalents	1-59
Metric Length Equivalents	1-59
Metric Pressure Conversions	1-59
Understanding Pressure in Kilopascals	1-60
Air Pressure	1-60
Absolute Zero	1-61
Altitude–Pressure Relationship	1-61
Water Basics	1-62
Boiling Point of Water at Various Pressures	1-63
Boiling Temperature of Water at Various Altitudes	1-64

CHAPTER 2 – Heating 2-1

Chimney Connector and Vent Connector Clearance from Combustible Materials	2-1
Clearance Tolerance Per Roof Slope for Gas Vent Terminations—Vent Caps	2-2
Roof Terminations for Chimneys and Single Wall Vents— No Caps	2-2
Conversion for Flue/Vent Liners	2-3
Thickness for Single-Wall Metal Pipe Connectors	2-3
Standard Clearance for Heat-Producing Appliances in Residential Installations	2-4
Standard Clearance for Heat-Producing Appliances in Commercial and Industrial Installations	2-5
Appliance Clearance with and Without Protection	2-6
Atmospheric Pressure and Barometer Readings for Various Altitudes Above Sea Level	2-8
Winter Design Temperatures for Major U.S. Cities	2-9
Ground Temperatures (U.S.) Below The Frost Line	2-12

Reduction in Degree Day Temperature Base When Calculated Heat Loss is Less Than 1000	2-14
Infiltration Rates Through Various Types of Wall Construction (cu. ft. Per Foot of Crack Per hr.)	2-14
Infiltration Rates Through Various Types of Windows (cu. ft. Per Foot of Crack Per hr.)	2-15
Heat Gain Factors (Walls, Floor, and Ceiling) Btu Per sq. ft. (24 hr.)	2-16
Heating Fuels—Cost Comparison Formulas.	2-18
Average Btu Content of Various Heating Fuels.	2-18
Average Fuel Conversion Efficiency for Heating.	2-19
Typical Gas Demand—Appliances	2-19
Characteristics of Fuel Oil Grades	2-20
Btu Content of Fuel Oils and Gases	2-21
Properties of LP Gas	2-21
Heating Values and Chemical Composition of Standard Grades of Coal	2-22
Heat Value Per Cord (Million Btu) of Wood with 12% Moisture Content	2-23
Heat Value Per Cord (Million Btu) of Green Woods	2-23
Performance of Storage Water Heaters	2-24
Hot-Water Storage Tank Dimensions with Capacities (gal.)	2-25
Formula for Sizing Gas Pipe	2-26
Threading Iron Gas Pipe.	2-26
Piping Support for Iron Gas Pipe.	2-26
Natural Gas Iron Pipe Capacities (cu. ft.)	2-27
Orifice Capacities for Natural Gas	2-28
Weather Zones—Size of LP Storage Tanks Required in Gallons	2-29
Obtaining Proper Oil Burner Nozzle Flow Rates.	2-30
Calculating Oil Pump Capacity	2-31
Oil Pumps for Different Vacuums.	2-31

Adjusting Oil Pump Pressure	2-31
Recommended Limit Control Settings	2-32
Common Terminal Identifications	2-32
Basic HVAC Thermostat Circuit	2-33
Twin-Type Thermostat	2-34
Millivolt Control	2-35
Gas Burner Controls	2-36
Relay Position and Effect On Gas Burner	2-37
Illustrating a Gas Burner Installation	2-38
Connections for a Stoker Installation	2-39
Connections for an Oil Burner Installation	2-40
Damper-Control Low-Voltage Installation	2-41
Compound Metal Thermostat and Circuit	2-42
Limit Switch Included in a Baseboard Heater	2-43
Electric Heating Unit Diagrams	2-44
Heating Control	2-48
Limit Thermostats	2-49
Packaged Unit Control	2-50
Basic Heat Pump Control	2-51
Hot Water Control	2-52
Boiler Classifications	2-53
Sizing Hydronic (Hot-Water) Boilers	2-54
Sizes of Hot-Water Mains	2-54
Sizing Circulators (Centrifugal Water Pumps)	2-54
Feet Head of Water to psi @ 62°F	2-55
Weight of Hot Water Per Cubic Foot (Ft ³) at Various Temps.	2-55
Hydronic (Hot-Water) System Design Temperatures and Pressures	2-56
Expansion Tank Sizing for Low-Temperature Systems— Expressed as Percentage of System Volume	2-60
Closed Expansion Tank Sizing Correction Factors for Low-Temperature Systems	2-62

Diaphragm Expansion Tank Sizing Correction Factors for Low-Temperature Systems	2-66
Expansion Tank Sizing for Medium-Temperature Systems— Expressed as Percentage of System Volume	2-70
Closed Expansion Tank Sizing Correction Factors for Medium-Temperature Systems	2-72
Diaphragm Expansion Tank Sizing Correction Factors for Medium-Temperature Systems	2-76
Expansion Tank Sizing for High-Temperature Systems— Expressed as Percentage of System Volume	2-80
Closed Expansion Tank Sizing Correction Factors for High-Temperature Systems	2-82
Diaphragm Expansion Tank Sizing Correction Factors for High-Temperature Systems	2-86
Biocides.	2-90
Bypass and Warming Valves	2-92
Sizing Steam Boilers.	2-93
Size of Steam Mains.	2-93
Effects of Air on Temperature (°F) of Steam	2-93
Effect of Back Pressure on Steam Trap Capacity (%)	2-93
Sizing Traps for Steam Mains	2-94
Steam Trap Comparison	2-95
Steam Trap Inspection Versus Failure Rate.	2-104

CHAPTER 3 – Ventilation 3-1

Maximum Duct and Pipe Sizes Through Steel Joists (K Type) . .	3-1
Converting Round Duct Areas to Square Feet	3-2
Duct Longitudinal Seams.	3-3
Duct Cross Joints	3-4
Air-Duct Sizing	3-6
Recommended Air Velocities	3-7
Suggested Duct Velocities for Various Low Velocity Systems . .	3-8
Conversion Data for Pressures	3-9

Ventilation Air Changes Per Structure	3-10
Fresh Air Requirements for Structures	3-12
Average Air Changes Per 24 Hr. for Storage Rooms Due To Door Openings and Infiltration (Above 32°F)	3-15
Attic Vent Sizing Guide	3-16
Duct Heat Loss Multipliers	3-17
Duct Heat Gain Multipliers	3-18
Duct Insulation and Outlet Location	3-19
Duct Insulation Thickness	3-22
Recommended Applications for Duct Materials	3-24
Sample Duct Schedule	3-25
Residential Forced Air System	3-26
Recommended Gauges for Duct Systems	3-28
Fibrous Glass Duct Stretch-Out Areas	3-38
Weights of Aluminum, Steel, and Copper Ductwork for Straight Runs in Pounds Per Linear Feet	3-40
Weights of Various Sheet Metal Duct Materials	3-41
Weights of Nonferrous Sheet Duct Material	3-44
Weights of Galvanized Steel Bands	3-45
Weights of Metal Angles, Equal Legs in Lb. Per Linear Ft.	3-46
Weights of Floor Plates, Skid-Resistant, Raised Pattern	3-47
Weights of Round Hanger Rod, Threaded Ends	3-47
Properties of Steel and Plate Iron	3-48

CHAPTER 4 – Air Conditioning and Refrigeration **4-1**

Refrigerant Color Codes	4-1
Quantity Limits, Type A Refrigerants	4-1
Series Numbering for Refrigerant Classes	4-1
HVAC Material Characteristics	4-2
Refrigerant Physical Properties	4-4
Properties of Liquid and Saturated Vapor of R-12	4-6

Properties of Liquid and Saturated Vapor of R-22	4-8
Properties of Liquid and Saturated Vapor of R-134A	4-10
Properties of Liquid and Saturated Vapor of R-500	4-12
Properties of Liquid and Saturated Vapor of R-502	4-14
Properties of Liquid and Saturated Vapor of R-503	4-16
Saturation Temperature–Pressure Curves for Group A Refrigerants	4-18
Saturation Temperature–Pressure Curves for Group B Refrigerants	4-19
Refrigerant Temperature–Pressure Chart	4-20
Design Pressures for Refrigerant Testing	4-24
Suction Line Capacities for R-12 Refrigerant	4-26
Refrigeration Applications and Low-Side Pressure Settings in Inches Vacuum.	4-27
Compressor Refrigerants	4-28
Average Compressor Capacities (Btu/h)	4-29
Suction Refrigerant Line Sizes Per Compressor Capacity	4-31
Liquid Refrigerant Line Sizes Per Compressor Capacity	4-32
Discharge Refrigerant Line Sizes Per Compressor Capacity	4-33
Resistance of Valves, Elbows, and Tees Over Straight Lengths of Pipe.	4-34
Capillary Tube Length and Diameter for Refrigerants	4-35
Saturated Vapor Temperature–Pressure Chart, Freon-12 and Freon-22	4-38
Condenser Chart Freon-12	4-40
Condenser Chart Freon-22	4-41
Refrigerant Applications	4-42
Refrigerant Lubricants	4-44
Refrigerant Cylinders and ODP	4-45
Specific Heat of Various Liquids	4-46
Specific Heat of Various Gases	4-47
Specific Heat of Various Solids	4-48

Refrigeration Control	4-49
Recommended Refrigeration Fixture Temperature Ranges	4-50
Temperatures for Refrigeration Applications	4-51
Refrigeration Equipment Pressure Ranges Per Refrigerant	4-52
Temperature–Pressure Conditions in The Refrigerator Mechanism	4-53
Head Pressures for Refrigerants	4-54
Ventilation Requirements for Refrigeration Machinery in Hot Areas	4-55
Moisture Absorbancy of Desiccants	4-56
Capacities of Air-Cooled Chillers	4-56
Cooling Control	4-57
Room-Cooling Requirements (Btu)	4-58
Energy Requirement Form for Cooling	4-59
Ethylene Glycol Properties	4-60
Propylene Glycol Properties.	4-60
Air Conditioning Condensate Piping	4-61
Minimum Condensate Pipe Sizes	4-61
Ice Machine Specification Ranges	4-62

CHAPTER 5 – Piping 5-1

Common Measurement Terms	5-1
Heavy Fluid Support Multipliers	5-1
Plastic Pipe Dimensions and Weights	5-2
PVC Pipe Support Spacing in Feet	5-4
Copper Pipe and Tubing	5-5
Copper Pipe and Tubing Dimensions and Weights	5-6
Copper Pipe and Tubing Lengths in Feet	5-7
Roll Groove Specifications for Copper Tubing	5-8
Standard Cut Groove Specifications for Copper Pipe	5-9
Steel Pipe Dimensions and Weights	5-10
Pipe Threading Dimensions (NPT)	5-12

Horizontal Steel and Copper Pipe Support Spacing	5-13
Pipe Spacing on Racks	5-14
Pipe Insulation Thicknesses.	5-15
Linear Expansion of Piping.	5-17

CHAPTER 6 – Service 6-1

Service Checklist—Boilers	6-1
Service Checklist—A/C and Refrigeration.	6-4
Service Checklist—Electrical/Electronic	6-7
Service Checklist—Mechanical/Hot Water Heaters	6-9
Central Heating Service Checklist	6-10
Oil Burner Startup Procedures.	6-11
Gas Heating Startup Procedures.	6-12
Heat Pump Startup Procedures.	6-14
Electric Heating Startup Procedures	6-15
Refrigeration Startup Procedures	6-16
Air Conditioning Startup Checklist.	6-17
Reciprocating A/C and Refrigeration Log	6-19
Centrifugal A/C and Refrigeration Log	6-22
Absorption A/C and Refrigeration Log	6-26
Chiller Log	6-30
Heating Boiler Log	6-34
Average Life Expectancy of Heating and Cooling Equipment in Years	6-39
System Checklist	6-40
How to Maintain and Service Air Conditioning Systems	6-46
A/C Servicing—Pressures	6-48
Refrigerant and Oil Retrofit.	6-49
Refrigerant Recovery Cylinder Pressure Service Rating Requirements	6-50
Alternative Refrigerants and Recommended Lubricants	6-50

Procedures for Refrigerant Reclaiming	6-51
Replacing a Burned Compressor	6-52
Follow Up After Burnout Replacement	6-54
Evacuation and Dehydration	6-55
Evacuation Pressures and Temperatures to Vaporize Water Out of a System.	6-56
Estimated Evacuation Time to Reach A 500-Micron Vacuum . . .	6-57
Required Evacuation Vacuum Levels	6-58
Number of Flushes and Typical Mineral Oil Residual Levels . . .	6-59
Adding Oil to a Closed System	6-60
Adding Oil to a System with an Oil Pump.	6-60
Liquid Level Indicator Parts	6-61
Checking Refrigerant Charge Using a Sight Glass.	6-61
Connections—Loading a Charging Cylinder.	6-62
Connections—Evacuating a Charging Cylinder	6-62
Connections for Liquid Charging a System	6-63
Liquid Drier in Charging Line	6-63
Connections for Removing Refrigerant with a Recovery Unit	6-64
Closed-Circuit Thermocouple Test	6-64
Suction Line Cleanup Filter Drier	6-65
Liquid Line Cleanup Drier.	6-65
Vapor Recovery Connections	6-65
Recovery/Recycle Unit Schematic Using Single Pass Filter Drier	6-66
Liquid Recovery Connections	6-66
Recovery/Recycle Unit Schematic Using an Oil Separator	6-67
Recovery/Recycle Unit Schematic Using Multiple Pass Filter Driers	6-67
Recommended Coil Pressures	6-68
Approximate Settings, Low Pressure Control (R-12)	6-69
Humidity Control.	6-70

CHAPTER 7 – *Troubleshooting* 7-1

Oil Heating Systems	7-1
Electric Heating Systems	7-6
Gas Heating Systems	7-8
Oil-Fired Furnaces	7-12
Gas-Fired Furnaces	7-15
Coal-Fired Furnaces	7-17
Oil Burners	7-19
Oil Burner Primary Control	7-22
Gas Burners	7-23
Heat Pumps—Cooling Cycle	7-24
Heat Pumps—Heating Cycle	7-25
Heat Pumps—Cooling or Heating Cycle	7-28
Self-Contained Air Conditioners	7-34
Air Conditioning Systems	7-37
Compressors	7-47
Refrigeration Systems	7-55
Refrigerators/Freezers	7-65
Ice Machines—Cuber	7-69
Ice Machines—Flaker	7-72
Boilers	7-77
Boiler Flame Problems	7-79
Maximum Allowable Impurities in Boiler Water	7-79
Fuel Pumps and Fuel Units	7-80
Steam Systems	7-82
Steam and Hot Water Boilers	7-85
Humidistats	7-86
Thermocouples	7-86
Reversing Valves	7-87
Damper Motors	7-88
Electrical Components and Controls	7-89
Electrical—Common Problems	7-93

Electric Furnaces	7-95
Troubleshooting Notes	7-96

CHAPTER 8 – *Electrical and Motors* . . 8-1

Ohm’s Law/Power Formulas	8-1
Ohm’s Law for Alternating Current	8-2
Ohm’s Law for Direct Current	8-3
Power Factor	8-3
Single-Phase Power	8-3
AC/DC Power Formulas	8-4
Horsepower Formulas	8-5
Efficiency Formulas	8-5
Voltage Unbalance	8-5
Temperature Conversions	8-5
Summary of Series, Parallel, and Combination Circuits	8-6
Typical Power Wiring Color Code	8-7
Power Transformer Color Codes	8-7
Hazardous Locations	8-7
Enclosure Types	8-8
Junction Box Calculations	8-10
Box Fill	8-11
Conductor Volume Allowance	8-11
Sizes of Panelboards	8-12
Sizes of Gutters and Wireways	8-12
Sizes of Disconnects	8-12
Sizes of Pull Boxes and Junction Boxes	8-12
Busway or Busduct	8-13
CBs and Fuses	8-13
Switchboards or Switchgears	8-13
Bending Stub-Ups	8-14
Back-To-Back Bending	8-15
Offset and Saddle Bends	8-16

Electrical Cable Class Ratings	8-17
Cable Insulation Moisture Ratings	8-17
Conductor Prefix Codes	8-17
Voltage Drop Formulas	8-18
Conductor Length/Voltage Drop	8-18
Conductor Size/Voltage Drop	8-18
Copper Wire Specifications	8-19
Copper Wire Resistance	8-20
Voltage Drop Ampere-Feet	8-21
Wire Length Vs Wire Size (Max. Voltage Drop)	8-22
Voltage Drop Table	8-23
Ampacities of Copper Conductors (3)	8-24
Ampacities of Copper Conductors (1)	8-26
Ampacities of Aluminum and Copper-Clad Aluminum Conductors (3)	8-28
Ampacities of Aluminum or Copper-Clad Aluminum Conductors (1)	8-30
Ampacity Adjustments for 4 or More Conductors in a Cable or Raceway	8-32
Amperage Ratings for Single-Phase Service or Feeder Conductors in Normal Dwelling Units	8-32
Minimum Size Conductors for Grounding Raceway and Equipment	8-33
Rigid Metallic Conduit—Maximum Number of Conductors	8-34
Liquidtight Flexible Metallic Conduit—Maximum Number of Conductors	8-36
Nonmetallic Tubing—Maximum Number of Conductors	8-38
Electrical Metallic Tubing—Maximum Number of Conductors	8-40
Flexible Metallic Conduit—Maximum Number of Conductors	8-42
Rigid PVC Schedule 40 Conduit—Maximum Number of Conductors	8-44
Rigid PVC Schedule 80 Conduit—Maximum Number of Conductors	8-46

Designing Motor Circuits	8-48
Motor Selection Requirements	8-48
A Wye-Wound Motor for Use on 240/480 V	8-49
Numbering of Dual-Voltage Wye-Wound Motor	8-49
Motor Control Circuits	8-50
Maximum OCPD.	8-52
Standard Sizes of Fuses and CBs.	8-52
Locked Rotor Current.	8-53
Motor Torque Formulas	8-54
Gear Reducer Formulas	8-54
Motor Power Formulas—Cost Savings.	8-55
Full-Load Currents—DC Motors	8-56
Full-Load Currents—1 ϕ , AC Motors	8-56
Full-Load Currents—3 ϕ , AC Induction Motors.	8-57
Starting Methods: Squirrel-Cage Induction Motors	8-58
NEMA Ratings of 60-Hz AC Contactors in Amperes	8-59
Setting Branch Circuit Protective Devices.	8-60
1 ϕ 115 V Motors and Circuits—120 V System.	8-61
1 ϕ 230 V Motors and Circuits—240 V System.	8-62
3 ϕ 230 V Motors and Circuits—240 V System.	8-64
3 ϕ 460 V Motors and Circuits—480 V System.	8-67
DC Motors and Circuits	8-70
Control Ratings.	8-73
Standard Motor Sizes.	8-76

CHAPTER 9 – Conversion Factors and Units of Measurement 9-1

Miscellaneous HVAC Conversions.	9-1
Heat, Energy, and Work	9-1
Solid and Liquid Expendable Refrigerants	9-2
Velocity	9-3
Therm-Hour Conversion.	9-3

Converting Inches of Mercury to Pounds Per Square Inch Absolute	9-4
Pressure Conversion Chart	9-5
Pressure Conversion Factors	9-6
Pounds Per Square Foot to Kilopascals	9-7
Pounds Per Square Inch to Kilopascals	9-7
Commonly Used Conversion Factors	9-8
Common Engineering Units and Their Relationship	9-14
Conversion Table for Temperature—°F/°C	9-16
Decimal Equivalents of Fractions	9-18
Millimeter and Decimal Inch Equivalents	9-19
Area of Circles	9-20
Commonly Used Geometrical Relationships	9-22

CHAPTER 10 – *Materials, Tools, and Safety* 10-1

Wrenches for Use with Various Pipe Sizes	10-1
Flare Nut Wrench Sizes	10-2
Solder Alloys Used in Refrigeration	10-2
Brazing Tip Sizes, Oxy-Acetylene Torches	10-2
Properties of Welding Gases	10-3
Welding Rods—36" Long	10-3
Types of Soldering Flux	10-4
Hard Solder Alloys	10-4
Soft Solder Alloys	10-4
Band Saw Teeth Per Inch and Speed	10-5
Standard Taps and Dies (in.)	10-6
Taps and Dies—Metric Conversions	10-7
Recommended Drilling Speeds in RPM	10-8
Metalworking Lubricants	10-9
Torque Lubrication Effects (ft./lbs.)	10-10

Tightening Torque (ft./lbs.)	10-10
Screw Torques	10-10
Sheet Metal Screw Characteristics	10-11
Standard Wood Screw Characteristics	10-12
Allen Head and Machine Screw Bolt and Torque Characteristics	10-13
Hex Head Bolt and Torque Characteristics	10-14
Whitworth Hex Head Bolt and Torque Characteristics	10-16
Metric Hex Head Bolt and Torque Characteristics	10-17
Pulley and Gear Formulas	10-18
Standard “V” Belt Lengths (in.)	10-20
Wire Rope Characteristics for 6 Strand by 19 Wire Type	10-22
Cable Clamps per Wire Rope Size	10-23
Wire Rope Slings—Straight Leg	10-24
Wire Rope Slings—Basket	10-25
Safe Loads for Shackles	10-26
Rope Characteristics	10-27
Manila Rope Slings—Straight Leg	10-28
Manila Rope Slings—Basket	10-29
Standard Hand Signals for Controlling Crane Operations	10-30
Wire and Sheet Metal Gauges	10-35
Carbon Monoxide Exposure Levels	10-38
Effects of Carbon Monoxide Exposure	10-39
Selecting Respirators by Hazard	10-40
Permissible Noise Exposures	10-41
Eye Protection Recommendations	10-42
Filter Lens Shade Numbers for Protection Against Radiant Energy	10-43
Eye and Face Protectors	10-44
Types of Fire Extinguishers	10-45
Extension Cord Sizes for Portable Tools	10-46

CHAPTER 11 – Symbols and Abbreviations 11-1

Pipe Legends 11-1

Piping 11-2

Fittings. 11-7

Piping Specialties 11-10

Valves 11-14

Steam Symbols 11-17

Control Diagram Symbols 11-22

Air Moving Devices and Components. 11-26

Refrigeration 11-37

Controls. 11-40

Auxiliary Equipment 11-43

Energy Recovery Equipment 11-44

Power Resources 11-45

Miscellaneous Plan Symbols. 11-45

Mathematical Symbols. 11-48

Subscripts. 11-49

Standard Plan Abbreviations 11-51

Equipment Designations 11-68

HVAC Affiliation Abbreviations. 11-70

CHAPTER 12 – Glossary 12-1

Glossary 12-1